


Inspectorate America  
104 Thadeus Street  
South Portland, Maine 04106  
(207)767-1711



## QUALITY CERTIFICATE

Vessel	BOUCHARD 120	Port	PORTSMOUTH, NH	Report	PL02-282
Customer	SPRAGUE ENERGY	Date	June 3, 2002	Reference	
Operation	ANALYSIS	Terminal	SPRAGUE ENERGY	Sample #	893594

Name of material being tested  
Description of sample source  
Samples Drawn by (company)  
Samples Tested by (company)

**#6 FUEL OIL(2.0%)**

**TANK 1**

**INSPECTORATE AMERICA  
INSPECTORATE AMERICA**

Tests being Performed	Test method	Sample Source
-----------------------	-------------	---------------

GRAVITY, API	ASTM D 4052	11.7
FLASH POINT, F.	ASTM D 93B	200+
SULPHUR, % WT.	ASTM D 4294	1.89
VISCOSITY, SSF, 122F	ASTM D 445/2161	116.3
POUR POINT, F.	ASTM D 97	5.0
WATER & SEDIMENT, % VOL.	ASTM D 1796	0.3
ASH, % WT.	ASTM D 482	0.09
ASPHALTINES, %WT	IP 143	8.46
BTU'S PER POUND	ASTM D 4868	18,283
BTU'S PER GALLON	CONVERSION	150,451
VANADIUM, PPM	IP 95	119
SODIUM, PPM	IP 95	40
NITROGEN, %WT	ASTM D 3228	0.439
CARBON RESIDUE % WT.	ASTM D 4530	12.39
SULPHUR, % WT.	ASTM D 4294	
	UPPER	1.90
	MIDDLE	1.88
	LOWER	1.88

RICK KENNEDY

Inspectorate America Corp (Portland Me.)

AB REV 1-98

THE ATTACHED CERTIFICATE REPRESENTS THE PRODUCT INSPECTED  
BY THE INSPECTION SERVICE ON THE DATE STATED ON THE  
CERTIFICATE IN THE TANK STATED BY THE INSPECTION SERVICE. SPRAGUE  
REPRESENTS THAT ANY PRODUCT IT MAY SELL AT THE RACK MAY DIFFER  
FROM SUCH INSPECTION CERTIFICATE BUT SUCH PRODUCT SHALL  
MEET THE SPECIFICATIONS AS MAY BE REQUIRED BY ANY APPLICABLE  
REGULATIONS.

✓  
file

Inspectorate America  
104 Thadeus Street  
South Portland, Maine 04106  
(207)767-1711



## QUALITY CERTIFICATE

Vessel	BALTIC CHIEF	Port	PORTSMOUTH, NH	Report	PL02-620
Customer	SPRAGUE ENERGY	Date	November 27, 2002	Reference	
Operation	ANALYSIS	Terminal	SPRAGUE ENERGY	Sample #	288752

Name of material being tested  
Description of sample source  
Samples Drawn by (company)  
Samples Tested by (company)

**#6 FUEL OIL (2.0%)**

SHORE TANK 1  
INSPECTORATE AMERICA  
INSPECTORATE AMERICA

Tests being Performed	Test method	Sample Source
-----------------------	-------------	---------------

GRAVITY, API	ASTM D 4052	12.9
FLASH POINT, F.	ASTM D 93B	226
SULPHUR, % WT.	ASTM D 4294	1.960
VISCOSITY, SSF, 122F	ASTM D 445/2161	153.5
POUR POINT, F.	ASTM D 97	37.4
WATER & SEDIMENT, % VOL.	ASTM D 1796	0.1
ASH, % WT.	ASTM D 482	0.060
ASPHALTINES, %WT	ASTM D 6560	7.90
BTU'S PER POUND	ASTM D 4868	18,376
BTU'S PER GALLON	CONVERSION	149,968
VANADIUM, PPM	IP 95	24
SODIUM, PPM	IP 95	42
NITROGEN, %WT	ASTM D 3228M	0.488
CARBON RESIDUE % WT.	ASTM D 4530	11.43
SULPHUR, % WT.	ASTM D 4294	
43279	UPPER	1.966
43280	MIDDLE	1.954
43281	LOWER	1.959

THE ATTACHED CERTIFICATE REPRESENTS THE PRODUCT INSPECTED BY THE INSPECTION SERVICE ON THE DATE STATED ON THE CERTIFICATE IN THE TANK STATED BY THE INSPECTION SERVICE. SPRAGUE REPRESENTS THAT ANY PRODUCT IT MAY SELL AT THE RACK MAY DIFFER FROM SUCH INSPECTION CERTIFICATE BUT SUCH PRODUCT SHALL MEET THE SPECIFICATIONS AS MAY BE REQUIRED BY ANY APPLICABLE REGULATIONS WITHIN THE STATE THAT THE PRODUCT IS SOLD.

Inspectorate America Corp (Portland Me.)